♥RATE YOUR PLATE♥

Think about the way you usually eat. For each food choice, put a check mark in column A, B or C. Bring the completed form to your next clinic visit.

| | | A | В | С |
|-----|---|--|---|--|
| 1. | MEAT CUTS* fresh beef, pork, lamb, veal | Usually eat: lean cuts from the round, loin or leg; ham Or, seldom eat meat. | ☐ Sometimes eat: higher-fat cuts, such as chuck, ribs, brisket, T-bone steak, prime rib | ☐ Usually/often eat: higher-fat cuts |
| 2. | CHICKEN, TURKEY* | ☐ Usually eat: without skin | ☐ Sometimes eat: with skin | ☐ Usually eat: with skin |
| 3. | GROUND MEAT & POULTRY* | Usually eat: 5-7% fat (93-95% lean); ground turkey breast Or, seldom eat. | Usually eat: 10-15% fat; ground turkey (dark & white meat) | ☐ Usually/often eat: regular ground meat, with 20% fat or more |
| 4. | PROCESSED MEAT & POULTRY* cold cuts, hot dogs, sausage, breakfast meats | Usually eat: lower-fat choices from lean meat or poultry; veggie breakfast links Or, seldom eat. | ☐ Sometimes eat: higher-fat choices, such as salami, bologna, hot dogs, bacon, sausage | ☐ Usually/often eat: higher-fat choices |
| 5. | PORTION SIZE OF MEAT & POULTRY* cooked or processed | ☐ Usually eat: small portions (≤ 3 oz.) deck of cards size | ☐ Usually eat: medium portions (4-6 oz.) | Usually/often eat: large portions (7 oz. or more) |
| 6. | FISH, SHELLFISH* | Usually eat: twice a week or more, especially oily fish like salmon, herring or sardines | ☐ Usually eat: any type once a week | Usually eat: any type less than once a week |
| 7. | for poultry, fish, meat | Usually: cook without added fat or use vegetable oil spray | ☐ Sometimes: cook with added fat or deep fry | Usually/often: cook with added fat or deep fry |
| 8. | MEATLESS MEALS veggie burgers, vegetable or bean soups, meatless spaghetti sauce, tofu, rice & beans | Usually eat: twice a week or more | ☐ Usually eat: less than twice a week | ☐ Rarely eat: meatless meals |
| 9. | WHOLE EGGS* | Usually eat: 3 or less a week OR egg substitutes OR egg whites only | ☐ Sometimes eat: 4 or more a week | Usually eat: 4 or more a week |
| | MILK includes yogurt, cream | Usually use: 1% or skim milk, fat-free or low-fat yogurt, fat-free ½ & ½ | Sometimes use: 2% or whole milk, full-fat yogurt, regular ½ & ½ | Usually use: 2% or whole milk, full- fat yogurt, light cream |
| | CHEESE* includes cheese for pizza, sand- wiches, snacks, mixed dishes, etc. | ☐ Usually eat: reduced-fat or part-skim Or, seldom eat. | ☐ Sometimes eat: regular cheese, such as cheddar, Swiss, and American | ☐ Usually eat: regular cheese |
| 12. | DAIRY FOODS 1 serving = 1 c. milk or yogurt, 1½ oz. cheese | Usually eat or drink 2 or more servings a day | ☐ Usually eat or drink: 1 serving a day | □ Rarely eat or drink |

^{*}If you are a vegetarian, check column A for these (*) topics.

| 13. WHOLE GRAINS | ☐ Usually eat: | ☐ Sometimes eat: | ☐ Usually eat: |
|---|--------------------------------------|---|--|
| 1 serving = 1 oz slice bread; $\frac{1}{2}$ | 3 or more servings a | 1 or 2 servings a day | mostly refined grains, |
| English muffin; 1 c. cereal; ½ c. | day, 100% whole wheat | | i.e., white bread, white |
| rice, pasta; 5 crackers; tortilla; | bread & pasta, brown | | rice, saltine crackers, |
| mini bagel, 3 c. light popcorn | rice, whole grain cereals, | | corn flakes, Rice |
| | i.e., oatmeal, raisin bran, | | Krispies [®] , Special K [®] |
| | Wheaties® | | |
| 14. FRUITS & VEGETABLES | ☐ Usually eat: | ☐ Usually eat: | ☐ Usually eat: |
| includes legumes | 4-5 cups a day | 2-3 cups a day | 0-1 cup a day |
| 1 c. = medium whole fruit or | | | |
| potato, large tomato or ear corn, | | | |
| 2 c. raw leafy greens | | | |
| 15. COOKING METHOD | ☐ Usually prepare: | □ Sometimes | ☐ Usually prepare: |
| for vegetables, pasta, rice | without fat & sauces OR | prepare: | with sauce, butter, |
| | use vegetable oil spray | with sauce, butter, margarine, oil | margarine, oil |
| 16. FAT TYPE IN COOKING | ☐ Usually use: | ☐ Usually use: | ☐ Usually use: |
| includes baking | olive or Canola oil | other oils, tub margarine | butter, bacon |
| memaes saming | Or, usually cook without | other ons, tue margarine | drippings, stick |
| | added fat. | | margarine, lard, |
| | | | shortening |
| 17. SALT FROM PROCESSED | ☐ Always/usually: | ☐ Sometimes: | ☐ Rarely/never: |
| FOODS | compare and choose | consider sodium content | consider sodium |
| | lower-sodium options | | content |
| 18. SPREADS | ☐ Usually use: | ☐ Usually use: | ☐ Usually use: |
| added at the table on bread, | spray or light tub | regular tub margarine | butter or stick |
| potatoes, vegetables, pancakes, | margarine | | margarine |
| sandwiches, etc. | | | |
| 10. 01.7.1.7.7.7.7.00 | Or, seldom use. | | |
| 19. SALAD DRESSINGS, | ☐ Usually use: | ☐ Usually use: | ☐ Usually use: |
| MAYONNAISE | fat-free or low-fat salad | light salad dressings & | regular salad dressings |
| | dressings & mayonnaise | mayonnaise | & mayonnaise |
| 20. SNACK FOODS | Or, seldom use. | ☐ Sometimes eat: | ☐ Havelly/often set. |
| 20. SNACK FOODS | ☐ Usually eat: plain pretzels, light | ☐ Sometimes eat: regular chips & popcorn, | ☐ Usually/often eat: regular chips & |
| | popcorn, baked chips | flavored pretzels | popcorn |
| | Or, seldom eat. | navored pretzers | popeom |
| 21. NUTS, SEEDS | ☐ Usually eat: | ☐ Usually eat: | ☐ Usually eat: |
| includes nut butters | 3 servings or more a | 1-2 servings a week | 1 or less serving a |
| serving size = $1/4$ c. nuts, | week | 8 | week |
| 2 T. peanut butter | | | |
| _ | | | Or, seldom eat. |
| 22. FROZEN DESSERTS | ☐ Usually eat: | ☐ Sometimes eat: | ☐ Usually eat: |
| | sherbet, sorbet, fruit juice | regular ice cream, ice | regular ice cream, ice |
| | bars, low-fat ice cream or | cream bars/sandwiches | cream bars/sandwiches |
| | frozen yogurt | | |
| | Or, seldom eat. | | |
| 23. SWEETS, PASTRIES, CANDY | ☐ Usually eat: | ☐ Sometimes eat: | ☐ Usually/often eat: |
| | angel food cake, low-fat | donuts, cookies, cake, | donuts, cookies, cake, |
| | or fat-free products | pie, pastry, or chocolate | pie, pastry or |
| 24. EATING OUT | Or, seldom eat. Seldom eat out | candy | chocolate candy |
| eat in or take out, any meal | Or, usually choose | ☐ Usually eat: 1-2 times a week | ☐ Usually eat: 3 times a week or |
| ear in or take our, any mear | lower-fat menu items | 1-2 times a week | more |
| | 10 WCI -Iat micha itcms | | 111010 |

Find your Rate Your Plate score:

| Total checks in column A = x 3 = x 2 |
|--|
| Total checks in column B = x 2 = Total checks in column C = x 1 = |
| TOTAL |
| If your score is: |
| 58 - 72: You are making many healthy choices. |
| 41 - 57: There are some ways you can make your eating habits healthier. |
| 24 - 40: There are many ways you can make your eating habits healthier. |
| Look at your Rate Your Plate responses. |
| Do you have any responses in Column A? If you do, great! You are already making some heart healthy choices. Look at your responses in Columns B and C. Where you checked Column C, can you start eating more like Column B? Over time, move toward Column A. |
| Think about changes. Write down eating changes you are ready to consider. |
| Change #1: |
| Change #2: |
| Change #3: |
| Begin today. Make changes a little at a time. Let your new way of eating become a healthy habit. |
| Set goals. After discussion with your doctor, write down eating changes you are ready to work on. |
| Goal 1: |
| Goal 2: |
| Goal 3: |